COCOROSA
SURFACES

COZE

MADERA
wood collections



PIEDRA stone collections



MADERA wood collections



OPERA opus collections



FIORA flowery collections



BESPOKE customization

RECREATE THE BEAUTY OF ELEMENTS

Offering sustainable surface solutions with eco-friendly materials developed from the essence of woods, stones and other man-made materials to maintain
the beauty as much as the element where the idea was extracted from.

floor score

ÉMISSIONS DANS L'AIR INTÉRIEUR

A+

A+ A B C



MADERA

wood collections

Wood is known for its enigma and timeless visual appeal in interior design. Designers and home owners are drawn to wood because of its natural beauty and design versatility.

Cocorosa Madera, a luxurious collection of Luxury Vinyl tile designs inspired by wood. Beautiful and undeniably elegant, these wood look luxury vinyl tiles offer a palette of natural colours and unique grain patterns – they're exceptional for evoking classic masculinity or high glamour.

COCOROSA
SURFACES

100% Waterproof

Antislip Surfaces

Fire Prevention

Stain Resistant

Realistic Finish

Scratch Resistant

High Impact Resistance

LVT GLUE DOWN

LVT CLICK

LVT LOOSE LAY

LVT SINTERED CORE

SPC RIGID CORE

MADERA COZE

Ocre

COZE 01





MADERA COZE

Ocre

COZE 01

100% Waterproof

Antislip Surfaces

Fire Prevention

Stain Resistant

Realistic Finish

Scratch Resistant

High Impact Resistance

LVT GLUE DOWN

LVT CLICK

LVT LOOSE LAY

LVT SINTERED CORE

SPC RIGID CORE

MADERA COZE

Tobacco

COZE 02





MADERA COZE

Tobacco

COZE 02

100% Waterproof

Antislip Surfaces

Fire Prevention

Stain Resistant

Realistic Finish

Scratch Resistant

High Impact Resistance

LVT GLUE DOWN

LVT CLICK

LVT LOOSE LAY

LVT SINTERED CORE

SPC RIGID CORE

MADERA COZE

Walnut

COZE 03





MADERA COZE

Walnut

COZE 03

100% Waterproof

Antislip Surfaces

Fire Prevention

Stain Resistant

Realistic Finish

Scratch Resistant

High Impact Resistance

LVT GLUE DOWN

LVT CLICK

LVT LOOSE LAY

LVT SINTERED CORE

SPC RIGID CORE

MADERA COZE

Ceniza

COZE 04





MADERA COZE

Ceniza

COZE 04

100% Waterproof

Antislip Surfaces

Fire Prevention

Stain Resistant

Realistic Finish

Scratch Resistant

High Impact Resistance

LVT GLUE DOWN

LVT CLICK

LVT LOOSE LAY

LVT SINTERED CORE

SPC RIGID CORE

MADERA COZE

Sandal

COZE 05





MADERA COZE

Sandal

COZE 05

100% Waterproof

Antislip Surfaces

Fire Prevention

Stain Resistant

Realistic Finish

Scratch Resistant

High Impact Resistance

LVT GLUE DOWN

LVT CLICK

LVT LOOSE LAY

LVT SINTERED CORE

SPC RIGID CORE

MADERA COZE

Maple

COZE 06





MADERA COZE

Maple

COZE 06

MADERA COZE
Ocre COZE 01

MADERA COZE
Tobacco COZE 02

MADERA COZE
Walnut COZE 03




MADERA COZE
Ceniza COZE 04

MADERA COZE
Sandal COZE 05

MADERA COZE
Maple COZE 06

SPECIAL PIECES



END PROFILE
(REDUCER)

END PROFILE WALL
(END CAP)

TRANSITION PROFILE
(T-MOULDING)

SKIRTING
(BASEBOARD)

OVERLAP
STAIRNOSE

SMART SELECT LUXURY VINYL FLOORING LIMITED WARRANTY PERIODS

Thickness	Core	Wear layer	Attached pad	Residential Warranty	L. Commercial Warranty
3.2 mm	Rigid Core	8 mil (0.2mm)	Y / N	10 years	5 years
3.2 mm	Rigid Core	12 mil (0.3mm)	Y / N	15 years	7 years
4 mm	Rigid Core	12 mil (0.3mm)	Y / N	20 years	8 years
5 mm	Rigid Core	20 mil (0.5mm)	Y / N	Limited Lifetime	10 years

Definitions for applications in terms of LVT

RESIDENTIAL	LIGHT COMMERCIAL	COMMERCIAL
Kitchen	Small restaurant	Large restaurant
Dining room	Small retail shop	Large retail, large office
Bedroom	Waiting rooms	Hair salon (working area)
Bathroom	Trade booths	School classroom
Recreation rooms, foyers	Small Office	Nurses Station

***Residential use, or household conditions means the daily activities commonly associated with residential use.**

***Light commercial** is defined as environments which do not have heavy commercial traffic, where the flooring is not exposed to a heavy commercial maintenance schedule and where the interior temperature and humidify can be controlled and maintained.

***Commercial** is defined as environments which have heavy commercial traffic.

TECHNICAL SPECIFICATIONS

Clasification	Test Standard	Result
Reaction to fire	EN ISO 9239-1	B fl – s1
Impact Insulation Class	ASTM E492-09	52
Sound Transmission Class	ASTM E90-09	54
Determination the content of formaldehyde	ISO 16000-3	A+
Performance	**Test Standard**	**Result**
Wear resistance	EN660-1	Group T
Residual indentation after static load	EN436	Pass
Dimensional stability and curling after exposure to heat	EN434	Pass
Flexibility	EN435	Pass
Measurement of dynamic coefficient of friction on dry floor surface	E13893	Pass
Slip resistance	DIN 51130	R10
Resilience to chemicals	EN423	Class 0

FORMATS & RANDOMNESS

LVT Glue Down **LVT Loose Lay**	**INCHES** **MM** **FACES**	6"X36" 152.4x914.4 6	6"X48" 152.4X1219.2 6	7.25"X48" 184.15X1219.2 5	9"X48" 228.6X1219.2 4	- - -
LVT Click	**INCHES** **MM** **FACES**	6"X48" 148X1220 6	7.25"X48" 180X1220 5	9"X48" 226X1220 4	- - -	- - -
LVT Sintered Core **SPC Rigid Core**	**INCHES** **MM** **FACES**	6"X48" 148X1220 6	7.25"X48" 180X1220 5	9"X48" 226X1220 4	7.25"X60" 180X1520 5	9"X60" 226X1520 4

email info@cocorosasurfaces.com
phone +86 0757 8252 5005

www.cocorosasurfaces.com

COCOROSA
SURFACES